


## Reusche Colors

### Glass Stainers' Catalog

---

#### TRUSTED QUALITY SINCE 1906



- Traditional glass stainer transparents, enamels, lead & cadmium-free colors
- Specialty brushes
- Oils & mediums
- Custom color matching: new and for restoration
- Premixing available
- Small quantities
- Excellent customer service
- Fast turnaround times
- Sample Kits

# Reusche Colors

## Glass Stainers' Catalog

### Table of Contents

---

#### **GLASS STAINERS' COLORS**

<b>TRADITIONAL STAINERS' COLORS</b>	<b>PAGE 3</b>
<b>BLENDABLE BENDING COLORS</b>	<b>PAGE 3</b>
<b>TRANSPARENT COLORS</b>	<b>PAGE 3</b>
<b>ENAMELS</b>	<b>PAGE 4</b>
<b>SILVER STAINS</b>	<b>PAGE 4</b>
<b>SERIES 5: LEAD/CADMIUM-FREE</b>	<b>PAGE 5</b>
<b>HOT GLASS COLORS: LEAD-FREE</b>	<b>PAGE 5</b>

#### **MISCELLANEOUS GLASS COLORS**

<b>GLASS COLORS</b>	<b>PAGE 6</b>
<b>HOT GLASS COLORS</b>	<b>PAGE 6</b>

#### **MISCELLANEOUS SUPPLIES**

<b>HAND PAINTING MEDIUMS</b>	<b>PAGE 7</b>
<b>DIRECT SCREENING MEDIUMS</b>	<b>PAGE 7</b>
<b>DECAL MEDIUMS</b>	<b>PAGE 8</b>
<b>DECAL OVERCOATS</b>	<b>PAGE 8</b>
<b>GOLD SUPPLIES</b>	<b>PAGE 9</b>
<b>BOTTLING SUPPLIES</b>	<b>PAGE 9</b>
<b>TOOLS &amp; MIXING SUPPLIES</b>	<b>PAGE 9</b>
<b>BRUSHES (STAINERS')</b>	<b>PAGE 10</b>
<b>SAMPLE KITS</b>	<b>PAGE 11</b>
<b>DISTRIBUTORS</b>	<b>PAGE 12</b>
<b>TERMS &amp; CONDITIONS</b>	<b>PAGE 13</b>

#### **SPECIAL PRODUCTS!!**

*Tin Scope - Determine which side of your float glass is the tin side! Gold-based colors must be applied to the non-tin side of the glass. (see PAGE 9 for details)*

*Sample Kits - By popular demand we now offer several kits for sampling. (see PAGE 11 for details)*

# Reusche Colors

## Glass Stainers' Catalog

Glass Stainers' Colors

### Traditional Glass Stainer's Colors - Firing Temperature 1200 - 1250° F (AVAILABLE IN KITS)

Product #	Description	Product #	Description
8183MB	Bistro Black	DE403	Umber Brown (2300)
1058A	Soft Black	DE404	Ancient Brown (2300)
1059	Stencil Black (2300, 2400)	DE405	Ancient Brown (2200)
1063	Tracing Black #61	DE458	Tracing Black Best
1065	Universal Black	DF476	Flesh Red (2200, 2300)
1066	Vinegar Tracing Black (2300)	8212MB	White (2300, 2400)
1109	Ancient Brown	7852MB	Strong Blue (2400)
1110	Bistre Brown (2300)	7854MB	Pastel Blue (2400)
1134	Tracing Brown #1 (2300)	7865MB	Teal Blue (2400)
1139	Umber Brown (2200, 2300)	7869MB	Blue Green (2400)
1139D	Umber Brown Grey	7870MB	Dark Green (2400)
1139E	Umber Brown Sepia	7871MB	Soft Yellow (2400)
1139F	Umber Brown Red	7872MB	Lemon Yellow (2400)
1140A	Vinegar Tracing Brown (2300)	7875MB	Orange (2400)
1203A	Black Green Dark	7882MB	Blood Red (2400)
1205A	Black Green Grisaille (2300)	7883MB	Pink (2400)
1220A	Grey Green	7885MB	Apple Green (2400)
1220C	Grey Green Matting (2300)	8391MB	Violet of Iron G/S (2400)
1345	Red for Flesh 33 (2300)	4776MB	G/S Satin Etch (2300, 2400)
DE401	Tracing Black (2200, 2300)	1400GS	Obscuring White (2300, 2400)
DE402	Bistre Brown (2200, 2300)	1402A	Matting White

### Blendable Bending Colors - Firing Temperature 1200 - 1300° F (AVAILABLE IN KITS)

Product #	Description	Product #	Description
D201581	White (2700)	D261939	Blue Green (2700)
D211824	Yellow Red	D273889	Green Blue (2700)
D211827	Blue Red	D273893	Red Blue (2700)
D211831	Maroon (2700)	D273908	Dark Blue (2700)
D232782	Green Yellow (2700)	D281097	Orange (2700)
D232786	Orange Yellow (2700)	D293355	Red Brown (2700)
D232792	Gold Yellow	D293360	Brown (2700)
D242013	Black (2700)	D293363	Buff (2700)
D252174	Green (2700)	D293371	Dark Brown
D261935	Chrome Green (2700)	D293376	Dark Brown (2700)

### Transparent Colors - Firing Temperature 1050 - 1080° F (AVAILABLE IN KITS)

Product #	Description	Product #	Description
D21877	Violet (2B151)	D25822	Chartreuse (2500)
D211513	Ruby (2776) (2500)	D261676	Green (V554) (2500)
D221620	Violet (2803) (2500)	D26169	Green (DO541) (2500)
D22891	Carmine (2777) (2500)	D26346	Green (2500)
D22932	Carmine	D26354	Turquoise Green (2500)
D231176	Amber (L349) (2500)	D26762	Turquoise (2500)
D232255	Yellow (2862) (2500)	D273359	Blue (2867) (2500)
D24418	Smoke Grey (2500)	D27778	Blue (2500)
		D29400	Brown (2500)

**WARNING:** The materials used to manufacture the products in this catalog may contain lead and/or cadmium. Please refer to each product's [Safety Data Sheet](#).

# Reusche Colors

## Glass Stainers' Catalog

Glass Stainers' Colors

### Enamel Series - Firing Temperature 1050 - 1080° F (AVAILABLE IN KITS)

Product #	Description	Product #	Description
1061	Tracing Black	D2868	Dark Blue
1081B	Flash Blue Transparent	D2869	Holland Blue
1090	Transparent Blue #1	D2870	Resolute Blue (2600)
1091	Transparent Blue #2 (2600)	D26193	Green (2600)
1115A	Dark Brown	D2872	Blood Red
1118B	Dark Brown Transparent	D2873	Bright Red (2600)
1129A	Red Brown Transparent	D2875	Dark Brown
1298A	Ruby Transparent	D2876	Art Brown (2600)
1326A	Flesh Tint Transparent	D2877	Black
7106MB	Rouge (2600)	D2881	Leaf Green (2600)
D2070	Satin White	D2883	Chrome Green
D2342	Matt Black	D20129	Matt White
D2617	White	D2879	Soft Flux
D2840	Intense Black (2600)	DX603	White
D2862	Canary Yellow (2600)	DX660	White (2600)
D2863	Jonquil Yellow	D20511	White
D2864	Dark Orange (2600)	DX692	White
D2866	Empire Green (2600)		

### Silver Stains - Firing Temperature 1050 - 1080° F (AVAILABLE IN KITS)

Product #	Description	Product #	Description
1382	Orange #1 (2600)	1388	Orange Intense (2600)
1383	Orange #2	1389	Amber Intense (2600)
1384	Yellow #3 (2600)	D292465	Amber Stain (H465)



#### Powder Color

PRICE BREAKS AT 5, 10, 20, 35, 50,  
& 100+ POUNDS



PRE-MIXED COLORS AVAILABLE

**WARNING:** The materials used to manufacture the products in this catalog may contain lead and/or cadmium. Please refer to each product's **Safety Data Sheet**.

# Reusche Colors

## Glass Stainers' Catalog

Glass Stainers' Colors

### Lead & Cadmium-Free "Series 5" Colors for Glass & Porcelain - Firing Temperature 1150 - 1400° F (AVAILABLE IN KITS)

Product #	Description	Product #	Description
50R001	Clear Glaze	56R002	Bistre Brown E402 (2100, 2800)
51R001	Snow White (2800)	56R003	Umber Brown E403 (2900)
51R002	True White	56R004	Ancient Brown E404
51R003	Satin Etch	56R005	Ancient Brown E405 (2100)
51R500	Flesh Rachel (2900)	56R006	Sepia Brown (2900)
51R501	Blonde Flesh (2900)	56R007	Bistre Brown (2900)
51R502	Brunette Flesh (2900)	56R008	Hair Brown (2900)
51R503	Reflected Light (2900)	56R009	Light Hair Brown (2900)
51R504	Flesh (2900)	56R010	Medium Brown (2800)
52R001	Yellow (2800)	56R011	Dark Brown
52R002	Soft Yellow	56R012	Meissen Brown
53R002	Blue Green (2800)	56R013	Red Brown
53R003	Dark Green (2800)	56R014	Yellow Brown (2800)
53R004	Apple Green (2800)	56R015	Light Yellow Brown
53R005	Black Green (2800)	56R016	Finishing Brown
53R016	Black Green Grisaille	56R023	Tracing Brown #1 (2900)
53R505	Grey Green 1220A	56R501	Ivory Tan (2900)
54R001	Strong Blue (2800)	57R001	Tracing Black E401 (2100, 2800)
54R002	Pastel Blue	57R002	Tracing Black E458
54R003	Teal Blue (2800)	57R003	Tracing Black #61
54R005	Dark Blue (2800)	57R004	Universal Black
55R001	Flesh Red F476 (2100, 2900)	57R005	Best Black (2900)
55R002	Persian Red (2800)	57R501	Dark Grey (2900)
55R003	Pompadour Red	57R502	Silver Grey (2800)
55R004	Violet of Iron (2900)	57R503	Pearl Grey
55R005	Blood Red (2900)	58R001	Rose Pink (2800)
56R001	Umber Brown 1139 (2100, 2900)	59R001	Blue Violet Purple (2800)

### "Hot Glass" Unleaded Colors - Firing Temperature 1250 - 1450° F

Product #	Description	Product #	Description
HGU5001	Flux	HGU5014	Flag Blue
HGU5005	White	HGU5015	Green
HGU5012	Raven Black	HGU5016	Gingerbread
HGU5012	Rustic Brown	HGU5017	Deep Ocean
HGU5013	Dark Earth	HGU5018	Tropical Green



Lead & Cadmium-Free "Series 5" and "HGU Series" colors  
are safe for use on food surfaces.

# Reusche Colors

## Glass Stainers' Catalog

Glass Stainers' Colors

### Miscellaneous Glass Colors - Firing Temperature 1050 - 1080° F

Product #	Description	Product #	Description
4789MB	High Gloss Black	7827MB	Orange
8225MB	Black	7828MB	Pink
4755MB	Peach	7829MB	Salmon Pink
7479MB	Cerulian Blue	7831MB	Brilliant Red
7480MB	Apple Green	7832MB	Crimson Red
7481MB	Antique Green	7834MB	White
7482MB	Deep Blue French	7835MB	Orange Red
7483MB	Peacock Green	7836MB	Ivory Yellow
7484MB	Dusty Rose	7837MB	Canary Yellow
7485MB	Strong Rose	7838MB	Lemon Yellow
7486MB	Fiesta Red	7856MB	Pink Coral
7805MB	Mazarine Blue	7857MB	Red Coral
7806MB	Royal Blue	7858MB	Chinese Red
7807MB	Pesian Blue	7859MB	Tangerine
7808MB	Navy Blue	7862MB	Russett Brown
7809MB	Baby Blue	7863MB	Turquoise Blue
7810MB	Wood Brown	7866MB	Celestial Blue
7811MB	Medium Brown	7868MB	Empress Green
7812MB	Nubian Brown	7879MB	Chocolate Brown
7813MB	Meissen Brown	7880MB	Transparent Amber
7814MB	Red Brown	8380MB	Rose Pink
7815MB	Blue Green	8381MB	Ruby Deep
7816MB	Bright Green	8382MB	Ruby Light
7817MB	Moss Green	8383MB	Rose Purple
7828MB	Chartreuse Green	8385MB	Carmine Deep
7821MB	Olive Green	8386MB	Royal Violet
7825MB	Brown Green	8387MB	Cerise
7826MB	Maroon	8388MB	Violet d'Or

### "Hot Glass" Colors - Firing Temperature 1250 - 1450° F

(AVAILABLE IN KITS)

Product #	Description	Product #	Description
HG9030	Black (3000)	HG9039	Leather Brown (3000)
HG9031	Sunshine Yellow (3000)	HG9040	Midnight Brown
HG9032	Pumpkin Orange	HG9041	CD Red (3000)
HG9033	Bright Orange (3000)	HG9044	Grass Green (3000)
HG9034	Flame Red	HG9045	Everglade (3000)
HG9035	White (3000)	HG9046	Vivid Turquoise
HG9036	Flux	HG9047	Brown
HG9037	Ocean Blue (3000)	HG9049	Brilliant Green
HG9038	Flag Blue (3000)	HG9052	Saffron Yellow

**WARNING:** The materials used to manufacture the products in this catalog may contain lead and/or cadmium. Please refer to each product's [Safety Data Sheet](#).

# Reusche Colors

## Glass Stainers' Catalog

Oils & Mediums

### Hand-Painting, Gold & Grinding Mediums

Product #	Name	Description
1900	Dresden Thick Oil	For hand painting
1903	Medium for Painitng	For hand painting, fast drying
1903A	Painting Medium	Heavy-bodied for hand-painting
1905*	Medium for Paste	For raised gold and painting
1905A*	Outlining Medium	For thin line work
1906*	Tinting Medium	For background tinting
1906A*	Diluting Medium	For penwork with quills
1908	Balsam of Copaiba	Heavy-bodied for mixing
8976MB	Thin Balsam of Copaiba	Thin for mixing
1911	Venice Turpentine	For medium mixes, dries hard
1913	Tar Oil	Use with <b>1905</b> for raised effect
1915	Aniseed Oil	For mixing & painting, stays open
1916	Clove Oil	For mixing & painting, stays open
1917*	Lavender Oil	For mixing & diluting heavier oils
1928*	Pure Gum Spirits of Turpentine	Heavy-bodied for mixtures
1929*	Fry's Medium	For hand-painting
1569*	Elarco Gold Facilitator	For use with gold paste, thinner
7997MB	Pine Oil	For mixing, direct screen printing
D239	Painting Medium	For hand-painting
D1368	Waterbase Medium	For hand-painting, cleans up with water
7905MB	Fat Oil	Heavy-bodied for painting on porcelain

### Direct Screen Printing Mediums

Product #	Name	Description
D175	Squeegee Oil	Excellent for general use
8220MB	Squeegee Medium	Thick, for printing transparent colors



\*PLEASE NOTE ADDITIONAL HAZARDOUS SHIPPING CHARGES MAY APPLY

### Indirect (Decal) Screen Printing Mediums

Product #	Name	Description
<b>4700MB*</b>	Decal Medium 208	<i>Dries Quickly, holds a large amount of color</i>
<b>4701MB*</b>	Decal Covercoat L406	<i>Great Flexibility, to be used with <b>4700MB</b></i>
<b>4702MB*</b>	Decal Covercoat L406	<i>Yellow Covercoat, same characteristics as <b>4701MB</b></i>
<b>M2600</b>	Decal Medium	<i>Dries Quickly, holds a large amount of color</i>
<b>C2601</b>	Decal Covercoat	<i>Great Flexibility, to be used with <b>M2600</b></i>
<b>C2602</b>	Decal Covercoat	<i>Yellow Covercoat, same characteristics as <b>C2601</b></i>

### Indirect Screen Printing Substrates

Product #	Name	Description
<b>2168</b>	Decal Paper	<i>Waterslide decal paper pkg. of 25 (12 1/2" x 18") sheets</i>
<b>2169</b>	Decal Paper	<i>Waterslide decal paper pkg. of 250 (12 1/2" x 18") sheets</i>

\*PLEASE NOTE ADDITIONAL HAZARDOUS SHIPPING CHARGES MAY APPLY

# Reusche Colors

## Glass Stainers' Catalog

Sundry Items

### Gold Burnishing and Glass Cleaning Supplies

Product #	Name	Details
1555	Burnishing Sand	5 pound minimum
2053	Burnishing Brush	Rope Wound
9040	Refillable Burnishing Brush	2 millimeter
9140	Refillable Burnishing Brush	4 millimeter



9242	Burnishing Brush Refill	8 millimeter
------	-------------------------	--------------

### Mixing and Grinding Supplies

Product #	Name	Details
2028/4	Ground Glass Slab	4" x 4"
9003-4"	Steel Spatula	4" end
9003-5"	Steel Spatula	5" end

### Miscellaneous Supplies

Product #	Name	Details
2168	Decal Paper	Waterslide decal paper pkg. of 25 (12 1/2" x 18") sheets
2169	Decal Paper	Waterslide decal paper pkg. of 250 (12 1/2" x 18") sheets
G1795	Gum Arabic Powder	Binder to be used when mixing w/water
52180	Tin Scope	Determine the tin side of the glass

# Reusche Colors

## Glass Stainers' Catalog

### Brushes

---



**SERIES 31S** --- FRENCH BADGER  
BLENDER Size 3



**SERIES 32A** --- ENGLISH GLASS STAINER  
STIPLER Size 4



**SERIES 32** --- GERMAN ROUND BADGER  
BLENDER Size 6



**SERIES 366** --- PONY HAIR ROUND  
Size 2, 4, 6, or 8



**SERIES 18** --- CAMEL HAIR MATTING BRUSH  
Size 1 1/2



**SERIES 890A** --- TAKLON LONG LINER  
Size 1 or 4



**SERIES 33** --- GERMAN FITCH DEERFOOT  
STIPLER Size 6



**SERIES 892A** --- TAKLON MEDIUM LINER  
Size 1 or 4

**STUDENT KIT #2100** *Lead and Cadmium-Free*

**Firing Temperature 1150 - 1400° F**

Includes 5 colors in 1-ounce jars, Gum Arabic Powder, 1903 hand-painting medium, and D1368 water-based medium. Oxhair matting brush, a tracing brush, a pencil stick, and a palette knife. See **SERIES 5 COLORS** on Page 5 for inclusions.

**STUDENT KIT #2200** *Updated and Improved*

**Firing Temperature 1200 - 1250° F**

Includes 5 colors in 1-ounce jars, a 1/2 oz. jar of Gum Arabic Powder, 1903 hand-painting medium, and D1368 water-based medium. A 1" oxhair matting brush, a tracing brush, a pencil stick, and a palette knife. See **TRADITIONAL GLASS STAINERS' COLORS** on Page 3 for inclusions.

**STUDENT KIT #2300** *Traditional Glass Stainers' Kit - Matting/Tracing*

**Firing Temperature 1200 - 1250° F**

A 1 oz. jar of 17 different colors, a 1/2 oz. jar of Gum Arabic Powder, 1903 hand-painting medium, and D1368 water-based medium. See **TRADITIONAL GLASS STAINERS' COLORS** on Pg. 3 for inclusions.

**STUDENT KIT #2400** *Traditional Glass Stainers' Kit - Colors*

**Firing Temperature 1200 - 1250° F**

A 1 oz. jar of 16 different colors, a 1/2 oz. jar of Gum Arabic Powder, 1903 hand-painting medium, and D1368 water-based medium. See **TRADITIONAL GLASS STAINERS' COLORS** on Pg. 3 for inclusions.

**STUDENT KIT #2500** *Transparent Kit*

**Firing Temperature 1050 - 1080° F**

A 1/2 oz. jar of D211513 Ruby, 1 oz. jars of 14 additional colors, a 1/2 oz. jar of Gum Arabic Powder, 1903 hand-painting medium, and D1368 water-based medium. See **TRANSPARENT SERIES** on Page 3 for inclusions.

**STUDENT KIT #2600** *Enamels and Silver Stains*

**Firing Temperature 1050 - 1080° F**

A 1/2 oz. jar of Silver Stains, 1 oz. jars of 12 additional colors, a 1/2 oz. jar of Gum Arabic Powder, 1903 hand-painting medium, and D1368 water-based medium. See **ENAMEL SERIES** and **SILVER STAINS** on Page 4 for inclusions.

**STUDENT KIT #2700** *Blendable Bending Colors*

**Firing Temperature 1200 - 1300° F**

A 1 oz. jar of 17 different colors, a 1/2 oz. jar of Gum Arabic Powder, 1903 hand-painting medium, and D1368 water-based medium. See the **BLENDABLE BENDING SERIES** on Page 3 for inclusions.

**STUDENT KIT #2800** *Series 5 Lead & Cadmium-free Colors*

**Firing Temperature 1150 - 1400° F**

A 1 oz. jar of 17 different colors, a 1/2 oz. jar of Gum Arabic Powder, 1903 hand-painting medium, and D1368 water-based medium. See the **SERIES 5 COLORS** on Page 5 for inclusions.

**STUDENT KIT #2900** *Series 5 Lead & Cadmium-free Portrait Colors*

**Firing Temperature 1150 - 1400° F**

A 1 oz. jar of 17 different colors, a 1/2 oz. jar of Gum Arabic Powder, 1903 hand-painting medium, and D1368 water-based medium. See the **SERIES 5 COLORS** on Page 5 for inclusions.

**STUDENT KIT #3000** *Hot Glass Colors*

**Firing Temperature 1250 - 1450° F**

A 1 oz. jar of 10 different colors, a 1/2 oz. jar of Gum Arabic Powder, 1903 hand-painting medium, and D1368 water-based medium. See the **HOT GLASS SERIES** on Page 6 for inclusions.

# Reusche Colors

## Glass Stainers' Catalog

Glass Supplies Distributors

---

### US Distributors

<b>Name</b>	<b>Address</b>	<b>Contact Information</b>
ED HOY's INTERNATIONAL	27625 Diehl Road Warrenville, IL 60555	Phone 800-323-5668 Fax: 630-836-1362
RAINBOW ART GLASS	1761 Rt. 34 South Wall/Farmingdale, NJ 07727	Phone: 732-681-6003 Fax: 732-681-4984
PACIFIC ART GLASS	125 West 157th Street Gardena, CA 90248	Phone: 800-354-5277 Fax: 310-516-0335
PETER McGRAIN	15194 Palm Isle Drive Fort Meyers, FL 33919	E-mail: mcgrain@gorge.net
SUNSHINE GLASSWORKS LTD.	111 Industrial Parkway Buffalo, NY 14227	Phone: 800-828-7159 Fax: 716-668-2932
SW ART GLASS	2036 E. Thomas Road, Ste. #1 Phoenix, AZ 85016	Phone: 602-288-8822 E-mail: sales@swartglass.com

### International Distributors

<b>Name</b>	<b>Address</b>	<b>Contact Information</b>
CARLO IMPORTACIONES	Av. Uno No. 34 San Pedro de los Pinos D.F. Mexico 03800	Phone 55-5272-1007 Fax: 55-5272-4004
PEARSON's GLASS LIMITED	32 Wellington Park Dunes Way, Liverpool L5 9RJ England	Phone: 44-151-207-1474 Fax: 44-151-207-4039
DUBLIN ART GLASS	62B Heather Road Sandyford Industrial Estate Dublin 18 Ireland	Phone: 35-312-957-261 Fax: 35-312-957-297
ARTISTIC GLASS	2108 Dundas Street West Toronto, Ontario M6R 1W9 Canada	Phone: 416-531-4881 Fax: 416-531-4695
PELI GLASS PRODUCTS B. V.	Jacob van den Eyndestraat 73 2274 XA Voorburg, Netherlands	Phone: 31 (0) 628-755-901 Website: www.peliglass.eu

# Reusche Colors

## Glass Stainers' Catalog

### Important Information

---

Orders are accepted on the basis of cash, Visa, MasterCard, American Express, Discover or C.O.D. at the time of your first order. We would appreciate your resale tax number, phone, and fax numbers.

Office hours are 8:00 am - 4:30 pm Monday through Friday, MST

To avoid errors and misunderstandings, please order by item number as well as name.

We will not be liable for duplication of fax or phone orders followed by a written order that is not clearly marked "CONFIRMATION".

No order will be shipped without a complete shipping address: this includes a zip code, street address, and building or unit number, if any.

If you would like to open an account with us on terms of net cash upon receipt of merchandise, please request a credit application and provide us your bank reference and three commercial references. All references must be current. We do accept Visa, MC, American Express, and Discover. **All payments must be in US Dollars drawn on a US Bank.**

Precious metals (silver or gold) in the form of paste (jars and boxes), liquids, or contained in colors are payable upon receipt of invoice for customers with an open account. All others are paid in advance or shipped C.O.D. There will be NO exceptions.

Orders sent by UPS, DHL, and USPS will be insured against loss. Shipping will be added to the invoice. Shipments sent by truck or common carrier will be sent freight collect. A pallet charge will be added to shipments by truck.

International Shipments: All duties/taxes are the responsibility of the receiver and are not included in the cost of shipping and handling.

All goods are packed with the utmost care. All shipments contain a packing list which must correspond to the contents of the package. No claim will be allowed unless made within five days of receipt of the goods and after inspection of the goods by the carrier.

Invoices are sent under separate cover.

Backorders will be shipped as soon as they are available unless canceled by customer in writing.

Special requests for Safety Data Sheets (SDS) must be in writing.

There is a 25% restocking charge for returned catalog material upon approval. Non-catalog, special color matches, and color ground in oil are not returnable. All approved returns must be made within 30 days of invoice.

Minimum order of non-catalog colors, color ground in oil, or special color matches is 5 pounds.

### **PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE**

**WARNING:** The materials used to manufacture the products in this catalog may contain lead and/or cadmium. Please refer to each product's **Safety Data Sheet**.

**Fuse Master**

2036 E Thomas Rd, Suite 1  
Phoenix, AZ 85016